

**Exhibit A - Pricing Page**  
 West Virginia Division of Natural Resources-Wildlife Resources Section  
 Agricultural Tractors with Front-End Loaders Open-End Contract

Item	Description	Year, Make and Model	Estimated Quantity	Unit of Measure	Unit Price	Extended Cost
3.1.1	2019 or Current Year: John Deere Model 5115M tractor or Equal		2	Each	\$87,500.00	\$175,000.00
3.1.2	2019 or Current Year: John Deere Model H310 front-end loader attachment or Equal		2	Each	In with Tractor Price	
<b>TOTAL BID AMOUNT:</b>						\$175,000.00

*Steve Poston*

**Authorized Vendor Signature**

7-18-2019

**Date**

ALL PAYMENT PROCESSING FEES MUST BE INCLUDED IN THE UNIT PRICE

**ADDITIONAL INFORMATION:**

The West Virginia Division of Natural Resources is soliciting bids for an open end contract for agricultural tractors with front end loader

INVOICE TO		SHIP TO	
DIVISION OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION ELKINS OPERATIONS CENTER PO BOX 67  ELKINS WV26241  US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER  No City WV 99999  US	

Line	Commodity Line Description	Qty	Unit Issue	Unit Price	Total Price
1	Agricultural tractors	0.00000	EA	<i>\$87,500.00</i>	<i>\$175,000.00</i>

Commodity Code	Manufacturer	Model #	Specification
25101901	<i>Massey Ferguson</i>	<i>5712S Classic</i>	<i>See attachment</i>

Extended Description  
Agricultural tractors

INVOICE TO		SHIP TO	
DIVISION OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION ELKINS OPERATIONS CENTER PO BOX 67  ELKINS WV26241  US		STATE OF WEST VIRGINIA VARIOUS LOCATIONS AS INDICATED BY ORDER  No City WV 99999  US	

Line	Commodity Line Description	Qty	Unit Issue	Unit Price	Total Price
2	Front end loaders	0.00000	EA	<i>Included in Tractor Price</i>	

Commodity Code	Manufacturer	Model #	Specification
22101501	<i>Massey Ferguson</i>	<i>FL3723</i>	<i>See attachment</i>

Extended Description  
Front end loaders

Line	Event	Event Date
1	Technical Question Deadline 9:00am, EST	2019-07-11



State of West Virginia  
Request For Quotation  
Agricultural

Procurement Folder : 599926

Document Description : Wildlife-Agricultural Tractors with Front End Loader

Procurement Type : Agency Master Agreement

Date Issued	Solicitation Closes	Solicitation No		Version	Phase
2019-07-03	2019-07-18 13:30:00	ARFQ 0310	DNR200000001	1	Draft

SUBMIT RESPONSES TO:	VENDOR
BID RESPONSE DIVISION OF NATURAL RESOURCES PROPERTY & PROCUREMENT OFFICE 324 4TH AVE SOUTH CHARLESTON WV 25303-1228 US	Vendor Name, Address and Telephone

FOR INFORMATION CONTACT THE

James H Adkins  
(304) 558-3397  
jamie.h.adkins@wv.gov

Signature X *Jamie H Adkins*

FEIN # 54 126 3693

DATE 7-18-19

All offers subject to all terms and conditions contained in this solicitation

Date Printed : Jul 02, 2019 Solicitation Number : DNR200000001

Page : 1

FORM ID : WV-PRC-ARFQ-001

DNR 2000000001

Tractor

Bidding a Massey Ferguson 5712S Classic

3.1.1.2 Equipped with a two –hundred sixty eight (268) cubic inch cylinder engine.

3.1.1.4 one-hundred fifteen (115) engine horsepower.

3.1.1.6 Equipped with a dyna-4 semi -powershift transmission with 4 ranges and 4 powershifts per range for sixteen(16) forward and sixteen(16) reverse gears. Unit is equipped with a creeper gear.

3.1.1.7 Unit equipped with a (26) twenty six gallons per minute flow pump in an open center configuration.

3.1.1.15.1 Rear tires size is 18.4-34 R1

Loader

3.1.2.3 Equipped with a eighty –three(83) inch wide bucket.

**\*\*\*\* These tractors and loaders would have to be built to solicitation specifications and would need a six(6) month lead time to be built once order is placed\*\*\*\***



MASSEY FERGUSON

# 5700S Classic

(F.O.B. PORT OF ENTRY)

## CLASSIC EDITION FEATURES

### ENGINE

MF5711S: 105 Rated Engine HP, 85 PTO HP, 110 Max Engine HP  
MF5712S: 115 Rated Engine HP, 95 PTO HP, 120 Max Engine HP  
MF5713S: 125 Rated Engine HP, 105 PTO HP, 130 Max Engine HP

AGCO POWER™ 4 4L (268 cu in.) 4 Cylinder

- Air-to-Air Aftercooled, Common Rail Injection, Turbocharged
- Selective Catalytic Reduction (SCR) Technology
- Tier 4 Final EPA and CARB Certified

Electronic Engine Management (EEM) with Dual ERPM Settings

Electronic Controlled Viscous Fan Drive

Dual Element Dry Type Air Cleaner

Vertical Exhaust at Right Front Cab Post

Cooling System: Antifreeze to Minus 40C

Fuel Tank Capacity: 47.5 Gal (180 L)

DEF Tank Capacity: 6.6 Gal (25 L)

### POWERTRAIN

Dyna-4 Transmission 25 MPH (40 KPH)

- 16F/16R Semi-Powershift, 4 Ranges with 4 Powershifts Per Range
- Transmission Control T-Handle on Right Hand Console

Multi-Disc Wet Brakes

Power Differential Lock

Independent PTO:

- 540/1000 with 6/21 Spline Shaft

Rear Fender Mounted PTO Shut-Off

Flange Axles

### FRONT WHEEL ASSIST AXLE

4 WD Power Front Axle (PFA)

- 8 Bolt Pattern

Shielded Center Drive Line with Electro-Hydraulic Control and Front Wheel Drive Differential Lock

### HYDRAULICS

Open Center 15 GPM (57 L/min) Pump

2900 PSI (200 Bar) Maximum Pressure

Two Mechanical Valves - Lever Controlled on Right Hand Console

Hydrostatic Power Steering

### HITCH

3-Point Hitch: Category 2/3 Telescopic Ball End Links

- Active Transport Control
- Lower Link Sensing
- Electronic Draft Control, Electronic Height Control, and Rate of Drop
- Variable Float Telescopic Stabilizers
- Left and Right Side External 3-Point Control

Drawbar: Category 2, Clevis and Drop Pin

### ELECTRICAL SYSTEM

120 Amp Alternator

12 V Battery, 775 CCA (SAE)

7 Pin ASAE Rear Trailer Electrical Outlet

Electrical Isolator Switch and Jumpstart Point

110 V Engine Block Heater

Ignition with Neutral Start and Key Shutoff

### LIGHTING

Four Front Hood Mounted Lights

Four Front Single Bulb Worklights

Two Rear Double Bulb Worklights

Taillights, Flashing Warning Lights and Turn Signals

### INSTRUMENTS

Setup and Information Screen (SIS)

Tachometer: Digital and Analog

PTO Speed: Digital

Ground Speed Display: Digital

Fuel Level and Coolant Temp Gauges

Warning/Information Lights

### OPERATOR AREA

6 Post Cab

Adjustable Steering Column

Front Sun Visor

Air Conditioning and Heater

Air Suspended Swivel Seat with Armrest

Instructor Seat Sold Separately

Front Windshield Wiper/Washer

External Side Mirrors (Non-Telescopic)

Two Audio Speakers and Antenna

One Electrical Socket in Cab

Speed Chart

### WHEELS AND TIRES

Rear: 460/85R34 R1W 8 Lug Pressed Wheels

Front: 380/85R24 R1W Waffle Wheel

### OTHER STANDARD FEATURES

AGCOMMAND™ Ready

Hi VIS Front Hood, Single Piece Raising with Lockable Front Latch

Lockable Tool Box

SMV Sign

Molded Rear Fenders

English Op Manual

**MF5713S - NOT FOR SALE IN STATE OF NEBRASKA**

# 5700S Classic



MASSEY FERGUSON

(F.O.B. PORT OF ENTRY)

## LOADER FEATURES

### FL.3723 FITS 5700, 6700 AND 5700SL SERIES TRACTORS

One Piece Main Frame Arms and Compression Molded Curved Cross Member  
Quick Attach Implement Mounting with Euro Style Single Lever Locking System  
5 mm High Tensile, Tapered Box Section Frame  
70 mm Arm Profile  
80 mm Double Acting Lift Cylinders (FL.3723)  
80 mm Double Acting Bucket Cylinders (FL.3723)  
Industrial Grade Hydraulic Fittings and Hoses, Incorporated Internally Inside Loader Boom  
Central Valve, Equalized Oil Distribution Valve with Incorporated Relief Valves  
4-Flat Face Hydraulic Tips on Boom and Bucket Circuits  
Protective Hose Cover  
Lock and Go Loader / Subframe Connection System  
Pivots Are Greasable and Include Industrial Grade Pins and Bushings  
Powder Painted with Corrosion Protection  
Bucket Level Indicator  
Front Bumper Guard (With Subframe Set)  
Buckets Have Heavy Duty, Welded-On Cutting Edge, Box Beam Section for Stiffness and Torsional Rigidity and Lateral Reinforcing Bars  
149" (3.79 m) Lift Height to Pivot Pin  
FL.3723 : 5093 lb. (2310 kg) Lift Capacity to Full Height, 31.5", (800 mm) Forward of Pivot Pin per ASABE  
301.3 @ 2828 PSI  
Maximum Roll Back Angle: 56 Degrees  
Maximum Dump Angle: 60 Degrees

### FL.3819 FITS 5700, 6700 AND 5700SL SERIES TRACTORS

One Piece Main Frame Arms and Compression Molded Curved Cross Member  
Quick Attach Implement Mounting with Euro Style Single Lever Locking System  
5 mm High Tensile, Tapered Box Section Frame  
70 mm Arm Profile  
75 mm Double Acting Lift Cylinders (FL.3819)  
80 mm Double Acting, Equal Displacement Bucket Cylinders (FL.3819)  
Industrial Grade Hydraulic Fittings and Hoses, Incorporated Internally Inside Loader Boom  
Central Valve, Equalized Oil Distribution Valve with Incorporated Relief Valves  
4-Flat Face Hydraulic Tips on Boom and Bucket Circuits  
Protective Hose Cover  
Lock and Go Loader / Subframe Connection System  
Pivots Are Greasable and Include Industrial Grade Pins and Bushings  
Powder Painted with Corrosion Protection  
Bucket Level Indicator  
Front Bumper Guard (With Subframe Set)  
Buckets Have Heavy Duty, Welded-On Cutting Edge, Box Beam Section for Stiffness and Torsional Rigidity and Lateral Reinforcing Bars  
149" (3.79 m) Lift Height to Pivot Pin  
FL.3819 : 4255 lb. (1930 kg) Lift Capacity to Full Height, 31.5", (800 mm) Forward of Pivot Pin per ASABE  
301.3 @ 2828 PSI  
Maximum Roll Back Angle: 58 Degrees  
Maximum Dump Angle: 60 Degrees

**MF5713S - NOT FOR SALE IN STATE OF NEBRASKA**

**DESIGNATED CONTACT:** Vendor appoints the individual identified in this Section as the Contract Administrator and the initial point of contact for matters relating to this Contract.

Isaac Dasher Sales  
(Name Title)

Isaac Dasher Sales  
(Printed Name and Title)

15668 Seneca Trail N Lewisburg WV 24901  
(Address)

304-645-1711 Ext 516 304 645 2464  
(Phone Number) / (Fax Number)

Isaac@boonetractor.com  
(email address)

**CERTIFICATION AND SIGNATURE:** By signing below, or submitting documentation through wvOASIS, I certify that I have reviewed this Solicitation in its entirety; that I understand the requirements, terms and conditions, and other information contained herein; that this bid, offer or proposal constitutes an offer to the State that cannot be unilaterally withdrawn; that the product or service proposed meets the mandatory requirements contained in the Solicitation for that product or service, unless otherwise stated herein; that the Vendor accepts the terms and conditions contained in the Solicitation, unless otherwise stated herein; that I am submitting this bid, offer or proposal for review and consideration; that I am authorized by the vendor to execute and submit this bid, offer, or proposal, or any documents related thereto on vendor's behalf; that I am authorized to bind the vendor in a contractual relationship; and that to the best of my knowledge, the vendor has properly registered with any State agency that may require registration.

Boone Tractor  
(Company)

Isaac Dasher Sales  
(Authorized Signature) (Representative Name, Title)

Isaac Dasher Sales  
(Printed Name and Title of Authorized Representative)

7-18-2019  
(Date)

304-645-1711 Ext 516 (304) 645-2464  
(Phone Number) (Fax Number)

ADDENDUM ACKNOWLEDGEMENT FORM  
SOLICITATION NO.:

Instructions: Please acknowledge receipt of all addenda issued with this solicitation by completing this addendum acknowledgment form. Check the box next to each addendum received and sign below. Failure to acknowledge addenda may result in bid disqualification.

Acknowledgment: I hereby acknowledge receipt of the following addenda and have made the necessary revisions to my proposal, plans and/or specification, etc.

Addendum Numbers Received:

(Check the box next to each addendum received)

<input type="checkbox"/>	Addendum No. 1	<input type="checkbox"/>	Addendum No. 6
<input type="checkbox"/>	Addendum No. 2	<input type="checkbox"/>	Addendum No. 7
<input type="checkbox"/>	Addendum No. 3	<input type="checkbox"/>	Addendum No. 8
<input type="checkbox"/>	Addendum No. 4	<input type="checkbox"/>	Addendum No. 9
<input type="checkbox"/>	Addendum No. 5	<input type="checkbox"/>	Addendum No. 10

I understand that failure to confirm the receipt of addenda may be cause for rejection of this bid. I further understand that any verbal representation made or assumed to be made during any oral discussion held between Vendor's representatives and any state personnel is not binding. Only the information issued in writing and added to the specifications by an official addendum is binding.

Boone Tractor  
Company

Chris Roshier  
Authorized Signature

7-18-2019  
Date

NOTE: This addendum acknowledgement should be submitted with the bid to expedite document processing.



## REQUEST FOR QUOTATION

West Virginia Division of Natural Resources - Wildlife Resource Section  
Open-End Contract for Agricultural Tractors with Front End Loaders

7.3.3 Any other remedies available in law or equity.

### 8 MISCELLANEOUS:

- 8.2 No Substitutions:** Vendor shall supply only Contract Items submitted in response to the Solicitation unless a contract modification is approved in accordance with the provisions contained in this Contract.
- 8.3 Vendor Supply:** Vendor must carry sufficient inventory of the Contract Items being offered to fulfill its obligations under this Contract. By signing its bid, Vendor certifies that it can supply the Contract Items contained in its bid response.
- 8.4 Reports:** Vendor shall provide quarterly reports and annual summaries to the Agency showing the Agency's items purchased, quantities of items purchased, and total dollar value of the items purchased. Vendor shall also provide reports, upon request, showing the items purchased during the term of this Contract, the quantity purchased for each of those items, and the total value of purchases for each of those items. Failure to supply such reports may be grounds for cancellation of this Contract.
- 8.5 Contract Manager:** During its performance of this Contract, Vendor must designate and maintain a primary contract manager responsible for overseeing Vendor's responsibilities under this Contract. The Contract manager must be available during normal business hours to address any customer service or other issues related to this Contract. Vendor should list its Contract manager and his or her contact information below.

Contract Manager: Isaac Dasher  
Telephone Number: 304-645-1211 Ext 516  
Fax Number: 304-645-2464  
Email Address: Isaac.D@wv.gov

STATE OF WEST VIRGINIA  
Purchasing Division

# PURCHASING AFFIDAVIT

**CONSTRUCTION CONTRACTS:** Under W. Va. Code § 5-22-1(i), the contracting public entity shall not award a construction contract to any bidder that is known to be in default on any monetary obligation owed to the state or a political subdivision of the state, including, but not limited to, obligations related to payroll taxes, property taxes, sales and use taxes, fire service fees, or other fines or fees.

**ALL CONTRACTS:** Under W. Va. Code §5A-3-10a, no contract or renewal of any contract may be awarded by the state or any of its political subdivisions to any vendor or prospective vendor when the vendor or prospective vendor or a related party to the vendor or prospective vendor is a debtor and: (1) the debt owed is an amount greater than one thousand dollars in the aggregate; or (2) the debtor is in employer default.

**EXCEPTION:** The prohibition listed above does not apply where a vendor has contested any tax administered pursuant to chapter eleven of the W. Va. Code, workers' compensation premium, permit fee or environmental fee or assessment and the matter has not become final or where the vendor has entered into a payment plan or agreement and the vendor is not in default of any of the provisions of such plan or agreement.

**DEFINITIONS:**

**"Debt"** means any assessment, premium, penalty, fine, tax or other amount of money owed to the state or any of its political subdivisions because of a judgment, fine, permit violation, license assessment, defaulted workers' compensation premium, penalty or other assessment presently delinquent or due and required to be paid to the state or any of its political subdivisions, including any interest or additional penalties accrued thereon.

**"Employer default"** means having an outstanding balance or liability to the old fund or to the uninsured employers' fund or being in policy default, as defined in W. Va. Code § 23-2c-2, failure to maintain mandatory workers' compensation coverage, or failure to fully meet its obligations as a workers' compensation self-insured employer. An employer is not in employer default if it has entered into a repayment agreement with the Insurance Commissioner and remains in compliance with the obligations under the repayment agreement.

**"Related party"** means a party, whether an individual, corporation, partnership, association, limited liability company or any other form or business association or other entity whatsoever, related to any vendor by blood, marriage, ownership or contract through which the party has a relationship of ownership or other interest with the vendor so that the party will actually or by effect receive or control a portion of the benefit, profit or other consideration from performance of a vendor contract with the party receiving an amount that meets or exceeds five percent of the total contract amount.

**AFFIRMATION:** By signing this form, the vendor's authorized signer affirms and acknowledges under penalty of law for false swearing (W. Va. Code §61-5-3) that: (1) for construction contracts, the vendor is not in default on any monetary obligation owed to the state or a political subdivision of the state, and (2) for all other contracts, that neither vendor nor any related party owe a debt as defined above and that neither vendor nor any related party are in employer default as defined above, unless the debt or employer default is permitted under the exception above.

**WITNESS THE FOLLOWING SIGNATURE:**

Vendor's Name: Boone Tractor

Authorized Signature: Chloe Parker

Date: 7-18-2019

State of WEST VIRGINIA

County of GREENBRIER, to-wit:

Taken, subscribed, and sworn to before me this 18 day of JULY, 2019.

My Commission expires AUGUST 6, 2023.

AFFIX SEAL HERE



NOTARY PUBLIC Karen L Willis

Purchasing Affidavit (Revised 01/19/2018)